

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|------------------|
| 9 | 257 | (ACF or (anisotropic near4 film)) and (bonder or bonding) and (peel or peeler) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 17:43 |
| 10 | 33 | (ACF or (anisotropic near4 film)) and (bonder or bonding) and (peel or peeler) and 156/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 18:20 |
| - | 0 | ACF and tape and (reel near5 switchover) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:45 |
| - | 0 | ACF and film and (reel near5 switchover) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:45 |
| - | 0 | ACF and film and (reel near5 switch-over) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:45 |
| - | 1195 | (438/118).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:45 |
| - | 0 | ((438/119).CCLS.) and (splice or splicing or splicer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:45 |
| - | 0 | ((438/119).CCLS.) and (butt near weld\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:45 |
| - | 0 | ((438/118).CCLS.) and (butt near weld\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:45 |
| - | 1189 | (156/64).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 452 | (156/304.1).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 607 | (156/157).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |

| | | | | |
|---|------|--|---|------------------|
| - | 0 | ((156/502).CCLS.) and (ACF or anisotropic) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 0 | ((156/507).CCLS.) and (ACF or anisotropic) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 0 | splice and (reel near5 switchover) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 2221 | ACFand (reel near5 switch) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 1 | ACF and tape and splice | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 2 | (anisotropic near4 film) and tape and splice | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 15:21 |
| - | 4 | (anisotropic near4 film) and splice | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 77 | (conductive near4 film) and splice | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 2 | ACF and film and (reel near5 switch) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:46 |
| - | 123 | (electrical near4 film) and (splice or splicing or splicer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | ((438/118).CCLS.) and (splice or splicing or splicer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 18 | ((156/64).CCLS.) and (splice or splicing or splicer) and (electr\$5 near10 (tape or film or web)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | ((156/304.1).CCLS.) and (splice or splicing or splicer) and (electr\$5 near10 (tape or film or web)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |

| | | | | |
|---|-----|---|---|------------------|
| - | 24 | ((156/157).CCLS.) and (splice or splicing or splicer) and (electr\$5 near10 (tape or film or web)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 24 | ACF and tape and (bonder) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 62 | vannortwick.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | vannortwick.in. and (ACF or anisotropic) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | ("6025212").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 12 | ((156/304.1).CCLS.) or ((156/157).CCLS.) or ((156/502).CCLS.) or ((156/507).CCLS.)) and (electrical near3 tape) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 8 | ((156/304.1).CCLS.) or ((156/157).CCLS.) or ((156/502).CCLS.) or ((156/507).CCLS.)) and (conductive near3 tape) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | ((156/304.1).CCLS.) or ((156/157).CCLS.) or ((156/502).CCLS.) or ((156/507).CCLS.)) and (electrical near3 film) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 8 | ((156/304.1).CCLS.) or ((156/157).CCLS.) or ((156/502).CCLS.) or ((156/507).CCLS.)) and (conductive near3 film) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 167 | (156/507).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 14:16 |
| - | 666 | (156/502).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | vannortwick and haran.xa. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | ACF and (reel near5 switch) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |

| | | | | |
|---|-----|---|---|------------------|
| - | 5 | (conductive near3 film) and (reel near5 switch) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 33 | splice and (reel near5 switch) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 42 | (electrical near4 tape) and (reel near5 switch) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 13:47 |
| - | 2 | vannortwick and (ACF or anisotropic) | USPAT | 2004/06/09 13:47 |
| - | 348 | (156/505).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 14:16 |
| - | 295 | (438/119).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/09 15:19 |

Day : Wednesday

Date: 6/9/2004

Time: 19:22:59

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = ONOSHIRO

First Name = JUN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 3 |
|--------------------------|------------|--------|------------|--|-----------------|
| 10613008 | Not Issued | 030 | 07/07/2003 | MACHINE FOR PUNCHING OUT ELECTRONIC CIRCUITRY PARTS, METHOD FOR REPLACING TAPE SUPPLY REELS, AND METHOD FOR PRODUCING ELECTRONIC CIRCUITRY PARTS FROM TAPE | ONOSHIRO, JUN |
| 10613005 | Not Issued | 030 | 07/07/2003 | ACF TAPE FEEDER MACHINE, AND METHOD FOR FEEDING ACF TAPE | ONOSHIRO, JUN |
| 10445958 | Not Issued | 030 | 05/28/2003 | RESIN APPLICATION METHOD ON PANEL, MANUFACTURING METHOD OF PANEL FOR DISPLAY AND RESIN APPLYING APPARATUS THEREOF | ONOSHIRO, JUN |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 6/9/2004

Time: 19:23:07

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = WADA

First Name = KENYA

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 9 |
|-----------------|----------------|--------|------------|--|-----------------|
| <u>10658422</u> | Not Issued | 030 | 09/10/2003 | APPARATUS AND METHOD FOR PROCESSING A SUBSTRATE | WADA, KENYA |
| <u>10613008</u> | Not Issued | 030 | 07/07/2003 | MACHINE FOR PUNCHING OUT ELECTRONIC CIRCUITRY PARTS, METHOD FOR REPLACING TAPE SUPPLY REELS, AND METHOD FOR PRODUCING ELECTRONIC CIRCUITRY PARTS FROM TAPE | WADA, KENYA |
| <u>10613005</u> | Not Issued | 030 | 07/07/2003 | ACF TAPE FEEDER MACHINE, AND METHOD FOR FEEDING ACF TAPE | WADA, KENYA |
| <u>10445958</u> | Not Issued | 030 | 05/28/2003 | RESIN APPLICATION METHOD ON PANEL, MANUFACTURING METHOD OF PANEL FOR DISPLAY AND RESIN APPLYING APPARATUS THEREOF | WADA, KENYA |
| <u>09988559</u> | Not Issued | 083 | 11/20/2001 | METHOD AND APPARATUS FOR TREATING SURFACE OF SUBSTRATE PLATE | WADA, KENYA |
| <u>09631619</u> | <u>6631726</u> | 150 | 08/04/2000 | APPARATUS AND METHOD FOR PROCESSING A SUBSTRATE | WADA, KENYA |
| <u>09111376</u> | <u>6004487</u> | 250 | 07/07/1998 | METHOD AND APPARATUS FOR LASER-TEXTURING DISK SURFACES | WADA, KENYA |
| <u>08852291</u> | <u>5879576</u> | 250 | 05/07/1997 | METHOD AND APPARATUS FOR PROCESSING SUBSTRATES | WADA, KENYA |
| <u>08840447</u> | <u>5952014</u> | 250 | 04/18/1997 | APPARATUS FOR TEXTURING MAGNETIC DATA | WADA, KENYA |

RECORDING DISC SURFACES

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| Last Name | First Name | |
|-----------------------------------|------------------------------------|---------------------------------------|
| <input type="text" value="WADA"/> | <input type="text" value="KENYA"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 6/9/2004

Time: 19:23:17

 PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = ANDO

First Name = ICHIYO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 1 |
|-----------------|---------------|--------|------------|--|-----------------|
| <u>10613005</u> | Not Issued | 030 | 07/07/2003 | ACF TAPE FEEDER MACHINE, AND METHOD FOR FEEDING ACF TAPE | ANDO, ICHIYO |

Inventor Search Completed: No Records to Display.

| | | | |
|---------------------------------|-----------------------------------|-------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | <input type="button" value="Search"/> |
| | <input type="text" value="ANDO"/> | <input type="text" value="ICHIYO"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)